




F16.3


20




F16.2B














F16.5






















FIG. 13












Coll O.D	90.08	0.09	0.09	0.09	0.09	0.09	0.09	0.086	0.086	0.0 86	0.083
Cell 1.D.	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.053	0.053	0.054	0.054
Clip Advancing Wire	D.D. 0.017	0.017	0.017	0.015	0.02	0.02	0.0%	0,017	0.017	0.017	0.017
End Effects - Wire C		0.011	0.011	0.011	0.011	0.011	0.011	0.009	0.009	0.009	0.009
Barrier Sheath	YES	YES	YES	YES	YES	yes	YES	YES	YES	YES	YES
	RUN #1	RUN #2	RUN #3	RUN#4	RUN#5	<b>RUN #6</b>	RUN #7	RUN #8	RUN #9	RUN #10	RUN #11
1 lb	0.46	0.24	0.32	0.54	0.59	0.56	0.45	0.87	0.4	0.57	0.77
2 /b	1.19	0.75	0.9	1.07	1.07	1.07	0.69	1.62	1.12	1.02	1
3 16	1.67	1.24	1.44	1.51	1.9	1.7	1.02	2.07	1.61	1.39	1.77
416	2.19	1.81	1.98	2.62	2.3	2.6	1.51	2.61	2.01	2.09	2.76
5 ib	2.74	2.35	2.59	2.05	3 07	2.98	2,26	3.5	2.44	3.19	3.15
8 /b	3.27	2.82	2.61	2 11	3.68	3.72	2.56	3.87	2.78	3.5	3.61
<u>7 lb</u>	3.32	3.12	3.37		3.93	3.8	3.34	4.56	3.54	3.92	4.48
8 lb	3.82	3.42			4.03	4.08	3,54	4.61	4.28	4.42	5.17
Weight Positlor	11 lb	11 lb 1 loop	11 lb 2 loops	11 lb	11 lb no loops	11 lb	11 lb Z loops	11 lb	11 lb 2 loops	11 (b no toops	11 lb no logos

F16.22

## **EFFICIENCY PLOT**



F16. Z3